

Foreman - Bug #973

Error 500 when click "All Puppet Classes"

06/09/2011 09:13 AM - Jacob McCann

<div>Status:Closed</div> <div>Priority:Normal</div> <div>Assignee:Ohad Levy</div> <div>Category:Web Interface</div> <div>Target version:0.4</div> <div>Difficulty:</div> <div>Triaged:</div> <div>Bugzilla link:</div> <div>Pull request:</div>	<div>Fixed in Releases:</div> <div>Found in Releases:</div> <div>Red Hat JIRA:</div>
<div>Description</div> <div>I receive error 500 page when clicking the "All Puppet Classes" button in foreman on a host page. From production.log:  Processing HostsController#storeconfig_klasses (for ###.###.###.### at 2011-06-08 15:57:20) [GET] Parameters: {"action"=&gt;"storeconfig_klasses", "id"=&gt;"hostname.usps.gov", "controller"=&gt;"hosts"} Rendering template within layouts/application Rendering hosts/storeconfig_klasses ActionView::TemplateError (Couldn't find Puppet::Rails::Resource without an ID) on line #3 of app/views/hosts/storeconfig_klasses.html.erb: 1: &lt;% title "All Puppet Classes for #{@host}" &gt; 2: &lt;ul&gt; 3: &lt; for klass in @host.classes_from_storeconfigs -&gt; 4: &lt;li&gt;&lt;= h klass &gt;&lt;/li&gt; 5: &lt; end -%&gt; 6: &lt;/ul&gt; app/models/host.rb:480:in `classes_from_storeconfigs' app/views/hosts/storeconfig_klasses.html.erb:3 passenger (3.0.2) lib/phusion_passenger/rack/request_handler.rb:96:in `process_request' passenger (3.0.2) lib/phusion_passenger/ abstract_request_handler.rb:513:in `accept_and_process_next_request' passenger (3.0.2) lib/phusion_passenger/ abstract_request_handler.rb:274:in `main_loop' passenger (3.0.2) lib/phusion_passenger/classic_rails/ application_spawner.rb:321:in `start_request_handler' passenger (3.0.2) lib/phusion_passenger/classic_rails/ application_spawner.rb:275:in `send' passenger (3.0.2) lib/phusion_passenger/classic_rails/ application_spawner.rb:275:in `handle_spawn_application' passenger (3.0.2) lib/phusion_passenger/utils.rb:479:in `safe_fork' passenger (3.0.2) lib/phusion_passenger/classic_rails/ application_spawner.rb:270:in `handle_spawn_application' passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:357:in `__send__' passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop' passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously' passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:180:in `start' passenger (3.0.2) lib/phusion_passenger/classic_rails/ application_spawner.rb:149:in `start' passenger (3.0.2) lib/phusion_passenger/spawn_manager.rb:219:in</div>	

```
`spawn_rails_application'
passenger (3.0.2) lib/phusion_passenger/
abstract_server_collection.rb:132:in `lookup_or_add'
passenger (3.0.2) lib/phusion_passenger/spawn_manager.rb:214:in
`spawn_rails_application'
passenger (3.0.2) lib/phusion_passenger/
abstract_server_collection.rb:82:in `synchronize'
passenger (3.0.2) lib/phusion_passenger/
abstract_server_collection.rb:79:in `synchronize'
passenger (3.0.2) lib/phusion_passenger/spawn_manager.rb:213:in
`spawn_rails_application'
passenger (3.0.2) lib/phusion_passenger/spawn_manager.rb:132:in
`spawn_application'
passenger (3.0.2) lib/phusion_passenger/spawn_manager.rb:275:in
`handle_spawn_application'
passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:357:in
`__send__'
passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:357:in
`server_main_loop'
passenger (3.0.2) lib/phusion_passenger/abstract_server.rb:206:in
`start_synchronously'
passenger (3.0.2) helper-scripts/passenger-spawn-server:99
Rendering /srv/www/usps-puppet-foreman/public/500.html (500 Internal
Server Error)
```

This is with foreman 0.3.

Fixed from diff:

```
diff --git a/app/models/host.rb b/app/models/host.rb
index ac32a75..6e089b0 100644
--- a/app/models/host.rb
++ b/app/models/host.rb
@ -477,7 +477,7 @ class Host < Puppet::Rails::Host
end
def classes_from_storeconfigs
-  _klassen = resources.find.all(:conditions => {:restype => "Class"},
:select => :title, :order => :title)
klassen = resources.all(:conditions => {:restype => "Class"}, :select
=> :title, :order => :title)
klassen.map!(&(:title)).delete(:main)
return klassen
```

[http://groups.google.com/group/foreman-users/browse\\_thread/thread/f9e076d19a9260f1](http://groups.google.com/group/foreman-users/browse_thread/thread/f9e076d19a9260f1)

## Associated revisions

### Revision 6fc77b66 - 06/12/2011 07:06 AM - Ohad Levy

fixes #973 - Error 500 when click "All Puppet Classes"

## History

### #1 - 06/09/2011 09:54 AM - Jacob McCann

Also, the button is greyed out but works. Please check into that as well.

### #2 - 06/12/2011 07:06 AM - Ohad Levy

- Category set to Web Interface
- Status changed from New to Assigned
- Assignee set to Ohad Levy
- Target version set to 0.4

### #3 - 06/12/2011 08:43 AM - Ohad Levy

- Status changed from Assigned to Closed
- % Done changed from 0 to 100

Applied in changeset [6fc77b66f857e0a34ec46c7f56dfbc52fbac035b](#).